CLINICAL EEG
ELECTROENCEPHALOGRAPHY



Author and Subject Index Vol. 15, 1984

CLINICAL EEG
ELECTROENCEPHALOGRAPHY



Author and Subject Index Vol. 15, 1984

Index of Authors

Aguglia, Umberto, 53
Ahmed, I., 110
Bachman, David S., 164
Bufil, J., 47
Chayasirisobhon, Sirichai, 155
Colton, Glenn S., 102
Cook, James A., 122
Cullis, P., 155
Drake, Jr., Miles E., 237
Dustman, Robert E., 97
Ehlers, C.L., 173
Farnarier, Guy, 53
Floyd, R.A., 173
Fung, Peter, C., 167
Gibbs, Erich L., 1
Gibbs, Trudy, J., 1
Graf, M., 83
Gruener, Gregory, 208
Hara, Kimiko, 22
Herranz-Tanarro, F.J., 47
Hughes, John R., 92, 145, 208
Inokuma, Kazuyo, 125
Jacome, Daniel, E., 151, 214
Kaartinen, Pekka, 226
Kellams, Jeffrey J., 178
Kelley, James T., 102
Kinarti, R., 159
Kiyono, S., 40
Koller, William C., 222
Krause, Johan, 226
Leonberg, Jr., S.C., 202
Long, D.M., 83
Malagon Valdez, Jorge, 61, 193, 197
Markand, Omkar, N., 122, 232
Masdeu, J.C., 47
Maynard, D.E., 185
Maynard, Steven D., 145
McCutchen, C.B., 173
Milstein, Victor, 178
Miyazaki, Shuji, 22
Mosnaim, Aron D., 222
Nakamura, Shigetoshi, 22
Negoro, Tamiko, 125
Niedermeyer, E., 83
Nogen, Alan G., 133
Olmos Garcia de Alba, Graciela, 61, 140, 193, 197
Overall, John E., 102
Papavasiliou, 155
Pena, Yolanda, 102
Pourmand, Rahman, 122, 232
Quattrone, Aldo, 53
Ranwez, R., 71
Reilly, Edward L., 102
Reunanen, Mauri, 226
Risko, Marlyn, 151, 214
Rodriguez Garcia, Alfredo, 140
Sack, R., 155
Sáenz-Lope, E., 47
Schear, Harley, E., 32
Schiemann, J., 83
Scott, D..F, 185
Shearer, Donald, E., 97
Shibagaki, M., 40
Small, Joyce, G., 178
Snyder, Edward W., 97
Sohmer, H., 159
Sorel, L., 71
Synek, B.J.L., 116
Synek, V.M., 116
Theobald, Dale E., 178
Thomas, Cathy, 232
Tinuper, Paolo, 53
Tucker, Richard, P., 167
Udaeta Mora, E., 193, 197
Uematsu, S., 83
Väisänen, Erkki, 226
Valarezo Crespo, Fernando, 61, 140, 197
Villanueva Garcia, Dina, 193, 197
Viniker, D.A., 185
Walton, N.Y., 173
Wang, M., 173
Watanabe, Kazuyoshi, 22, 125
Wolf, Marion E., 222
Yamada, Hiroshi, 22
Yamazaki, Toshio, 125

Index of Subjects

Vol. 15, 1984

Abscess, brain, and PLEDs, 32
Absences and, familial photosensitive epilepsy, 51
—midline spikes, atypical, 234, 235
—paroxysmal dystonic choreoathetosis, 153
—West syndrome evolving nto Lennox-Gastaut syndrome, atypical, 66, 67
Acronyms, and use in EEG, 38
ACTH, and treatment of West's syndrome, 61, 140, 141, 143
Affective disorders, and pattern reversal evoked potentials, 178-183
Age factor and, alcohol abuse with pattern reversal visual evoked potentials, 102-109
—bursts of rhythmical temporal theta, 146, 147, 150
—14 and 6 positive spikes, 94
—small sharp spikes, 209-213
—tardive dyskinesia, 223, 224, 226-228
—very fast beta activity, 238
Alcohol abuse, effect of age on pattern reversal visual evoked potentials, 102-109
Alpha activity and, bipolar vs. monopolar recording, 17, 18, 71-73
—bursts of rhythmic temporal theta, 147
—coma, 38, 116-121, 167-172
—Neo-EEG derivation, 71-73
—neonatal status epilepticus, 125, 129, 130, 198, 201
—normal variant in children, 92
—periodic activity, 38
—post-traumatic syndrome, 214, 215, 219
—psychiatric patients, 179
Alzheimer's disease and, generalized sharp transients, 38
—suppression bursts, 35
Ambulatory EEG monitoring and, pediatrics, 24 hour, 164-166
—post-traumatic syndrome, 214-221
AMEEGA, position on international standards for EEG instruments, No. 3, VI
—(See also Announcements)
American Epilepsy Society, annual meeting and courses, No. 3, VII
Anesthesia and, electrocorticograms, 84, 87, 89, 90
—periodic EEG abnormality, 35
Announcements, American Board of EEG examinations, No. 3, VII
—American Epilepsy Society, meeting and courses, No. 3, VII
—EEG technologist review course, No. 2, VI
Antabuse, and alcoholics with evoked potentials, 103
Anterior temporal localization and, electrode placement systems, 2-9, 76
—small sharp spikes, 217
—(See also Temporal)
Anticonvulsants and, delta status in newborn, 125, 128-131
—EEG changes, 1
—familial photosensitive epilepsy, 47-52
—fourteen and six, 94
—grand mal discharges, 158
—history taking, 5
—hypertensive encephalopathy with seizures, 53
—neonatal seizures, 125, 128-134, 138, 198, 201
—phenytoin infusion in seizure patients, 173-177
—PLEDs, 32
—very fast beta, 239, 240
—West's syndrome, 140, 141, 143
Anxiety neuroses, and hyperventilation syndrome with dizziness, 112
APEEGE, anatomical placement of EEG electrodes, universal system, 1-21
APGAR scores and, cerebral function monitor studies in neonates, 185, 188, 191
—neonatal seizures, 133, 136, 139, 193
Apnea and, grand mal discharge, 157
—neonatal seizures, 125, 133, 138, 194, 195
Aqueduct stenosis, and congenital hydrocephalus, 22-30
Arnold-Chiari malformation and, congenital hydrocephalus, 22-30
—midline spikes, 234
Arousal and, abnormal rhythm in children, 94
—normal slow activity in children, 93
Artifacts and, electrode placement, 2, 3, 5, 19
—management of infants and children for EEG, 202-207
—neonatal EEG, 185, 202-207
—PLEDs and EKG, 32
Asymmetry and, bursts of rhythmic temporal theta, 149
—congenital hydrocephalus, 28
—Neo-EEG derivation, 71
—photic responses, 153
—post-traumatic syndrome, 215, 219
—tardive dyskinesia, 223, 224, 228, 229, 230
—(See also Depressed amplitude)

Asynchrony, and congenital hydrocephalus, 22, 28, 30
Atonic seizures, and grand mal discharge, 157
Atrophy, cortical, and, familial photosensitive epilepsy, 48, 51
—grand mal discharges, 155
—hemodialysis, 99
—neonatal seizures, 138
—paroxysmal dystonic choreoathetosis, 151
—spikes in electrocorticograms, 89
—West's syndrome, 141, 143
Auditory response, and brainstem evoked responses and hearing loss, 159-163
—(See also Brainstem auditory evoked response and Evoked potentials)
Bascule pattern, and neonatal status epilepticus, 197, 199, 201
Batten's disease, and midline spikes, 234
Behavioral disturbances and, 14 and 6 positive spikes, 94
—PLEDs, 32
—(See also Psychiatric disorder)
Benzodiazepine, and very fast beta, 239, 240
Beta activity and, clinical correlates of very fast activity, 237-241
—coma, 38, 167, 168
—drowsiness in children, 93
—frontal arousal rhythm in children, 94
—grand mal discharges, 155-158
—medication, 93, 239, 240
—post-traumatic syndrome, 214, 216, 219
—sedation, 19
BETS, benign epileptiform transients of sleep (small sharp spikes), futher data on a controversial pattern, 208-213
Bilirubin encephalopathy, and neonatal status epilepticus, 193, 194
Binswanger's disease, and suppression bursts, 35
Bipolar derivations and, APEEGE monopolar system, 1-21
—Neo-EEG monopolar system, 71-82
Blood brain barrier, and hypertensive encephalopathy with seizures, 59
Blurred vision, and hypertensive encephalopathy, 53, 55, 59
—(See also Eye signs)
BORTT (bursts of rhythmical temporal theta), a distinctive EEG entity, 145-150
Brain death, editorial, tread lightly, treat vigorously, No. 1, V, VI
Brainstem auditory evoked potentials and, dizziness, 110-115
—hearing loss, differentiation between brainstem lesions and sensori-neural hearing loss, 159-163
—hydrocephalus, 25, 28-30
—Neuro-Behcet syndrome, 123
—(See also Evoked potentials)
Brainstem disorder and, death, No. 1, V, VI
—dizziness, evoked potentials, 110-114
—FIRDA, 38
—sensori-neural hearing loss, using auditory nerve BER, 159-163
—theta coma, 116-121
Burst suppression and, neonatal seizures, 125, 134-139
Bursts of rhythmical temporal theta (BORTT), a distinctive EEG entity, 145-150
Calcium deficiency, and neonatal seizures, 130, 134, 137
Carbamazepine and, seizures, 173, 174
—very fast activity, 239, 240
Cardiac disorder and, alpha coma, 167-172
—dizziness, 111, 113
—spells, with ambulatory EEG, 165,166
Central localization and, alpha, Neo-EEG derivation, 71, 72, 76
—electrocorticograms, spikes, 89
—infantile spindles, 93
—midline spikes, 232-236
—paroxysmal dystonic choreoathetosis, PLEDs, 153
—phenytoin infusion in seizure patients, 173, 174
—tardive dyskinesia, slow, 224
Cerebellar leads, and International 10-20 system, 2
Cerebral death, editorial, No. 1, V, VI
Cerebral function monitor (CFM), and neonates, 185-192
Cerebral palsy and, neonatal seizures, 126, 129, 138
—sleep spindles in mentally retarded, 40
—spikes, midline, 233, 234
Children and, cyclic variation of sleep spindles in mentally retarded, 40-46
—management for EEG, 202-207
—twenty-four hour ambulatory EEG monitoring, 164-166
—unusual EEG patterns, 92-96
—(See also Neonates)
Chloral hydrate and, EEG management of infants and children, 203-205
—sedation, 19, 203-205
Chlordiazepoxide, and alcoholics with evoked potentials, 103
Chlorpromazine and, management of infants and children for EEG, 203-205
—tardive dyskinesia, 223, 228
—West's syndrome treatment, 140
Choreoathetosis, paroxysmal dystonic, and photic induced-driven PLEDs, 151-154
Clonazepam and, familial photosensitive epilepsy, 47-52
—grand mal discharge, 158
—hypertensive encephalopathy with seizures, 53
—West's syndrome, 141, 143
Coma and, alpha rhythm, 167-172

—delta status in newborn, 125, 126
—hypertensive encephalopathy, 53
—periodic EEG activity, 38
—theta pattern, 116-121
Computer-reconstituted signals, and Neo-EEG, 71-82
Control subjects and, alcohol abuse with evoked potentials, 103-108
—bursts of rhythmic temporal theta, 145-148
—14 and 6 positive spikes, 94
—hemodialysis with evoked potentials, 97, 99
—midline spikes, 234
—tardive dyskinesia, 222-225, 226-231
Convulsions, See Grand mal, Tonic-clonic and Seizures)
Corpus callosum agenesis, and hydrocephalus, 22
—neonatal status epilepticus, 201
Creutzfeldt-Jakob disease, and periodic EEG activity, 34, 35, 38
Cystic lesion, and spiking in electrocorticography, 87, 89
Dandy-Walker malformation, and congenital hydrocephalus, 22, 24-30
Death and, congenital hydrocephalus, 27, 30
—delta status in newborn, 126
—neonatal seizures and status epilepticus, 126, 133, 134, 138, 139, 193-195, 201
—PLEDs, 32
—suppression bursts, 38
—theta coma, 120
—West's syndrome, 61
—(See also Brain Death)
Degenerative disorder and FIRDA, 36
—periodic EEG abnormality, 34-38
Delta activity and, congenital hydrocephalus, 24, 27-30
—hypertensive encephalopathy, 54
—Neuro-Behcet syndrome, 123
—occipital normal waves, 92
—periodic abnormality, FIRDA, 36-38
—photic stimulation, driving, 153
—post-traumatic syndrome, 214, 216, 218, 219
—subclinical status in newborn, an unfavorable prognostic sign, 125-131
—tardive dyskinesia; 223, 228, 229
—West's syndrome, 142
—(See also Slow activity)
Dementia and, Alzheimer's disease, 35, 38
—very fast beta, 238, 239
Depressed amplitude and, congenital hydrocephalus, 22, 24, 26, 28, 29
—hypertensive encephalopathy, 55
—(See also Asymmetry)
Depth electrodes, and intraoperative recordings during seizure surgery, 83-91
Diabetes, and bursts of rhythmic temporal theta, 148-150
Diazepam and, management of infants and children for EEG, 204
—subclinical delta status in newborn, 125, 128-131
Dilantin and, familial photosensitive epilepsy, 47-49
—14 and 6 positive spikes, 94
—infusion in seizure patients, 173-177
—neonatal seizures, 134, 138, 198, 201
Dizziness and, ambulatory EEG, 164
—BAEP, 110-115
—post-traumatic syndrome, 215, 218, 219
—rhythmical temporal theta, 145, 148
Dopamine and, photic stimulation, 51
—tardive dyskinesia, 226
Down's syndrome, and midline spikes, 234
Drowsiness and, normal patterns in children, 93
—rhythmical theta, 145, 146, 149
Drugs and, alcohol abuse, 102-109
—alpha coma, 120, 167, 168
—delta status in newborn, 125, 128-131
—dizziness, 114
—EEG changes with anticonvulsants, 1
—familial photosensitive epilepsy, 47-52
—fast activity, 219, 239, 240
—fourteen and six, 94
—grand mal discharges, 158
—history taking, 5
—hypertensive encephalopathy with seizures, 53
—intoxication, 35, 36, 38, 102-109, 120, 167, 173, 175
—management of infants and children for EEG, 203-205
—neonatal seizures, 125, 128-134, 138, 198, 201
—periodic activity, 35, 36, 38
—phenytoin infusion in seizure patients, 173-177
—PLEDs, 32
—post-traumatic syndrome, 216
—sedation, 19, 202-207
—tardive dyskinesia, 222-225, 226-231
—West's syndrome, 61, 140, 141, 143
Electrical silence and, brain death, No. 1, V
—coma after trauma, 118, 120, 121
—following delta status in newborn, 125, 128
—hydrocephalus, 28, 29
—photosensitive epilepsy, post-clinical, 50
Electrocorticography, information derived from intraoperative recordings during seizure surgery, 83-91
Electrode placement, and, APEEGE system, 1-21
—management of infants and children, 202
—midline spikes, 235
—Neo-EEG system, 71-82
Encephalitis and, abnormal EEG patterns in children, 94
—periodic EEG abnormality, 32, 35, 38, 94, 124
—PLEDs, 124
—temporal periodic discharge, 94

Encephalocele, and hydrocephalus, 22, 27
Epilepsia partialis continua and, electrocorticography, 87, 90
—PLEDs, 32
Epilepsy and, APEEGE system of electrode placement, 1, 5, 72
—bursts of rhythmical temporal theta, 148
—delta status in newborn, 125-131
—electrocorticography, 87, 90
—familial photosensitive, effectiveness of clonazepam, 47-52
—grand mal discharge, 155
—hypertensive encephalopathy, 53, 54, 57
—neonatal, 193-201
—Neuro-Behcet syndrome, 122, 123
—PLEDs, 32
—very fast beta, 237, 238
—(See also Seizures)
Evoked potentials and, alcohol abuse, pattern reversal visual effects of age, 102-109
—brain death, No. 1, V
—congenital hydrocephalus, 22, 25, 28-30
—dizziness, 110-115
—meralgia paresthetica, No. 1, VII
—Neuro-Behcet's syndrome, 123
—psychiatric patients, pattern reversal, 178-183
—renal hemodialysis, pattern reversal, 97-101
Eye signs and, hypertensive encephalopathy, 53, 55, 59
—lambda waves, 93
—seizures with grand mal discharges, 157, 158
—seizures, neonatal, 133, 138
—spells with ambulatory EEG, 164
Familial disorder and, paroxysmal dystonic choreoathetosis with PLEDs, 151-154
—photosensitive epilepsy, effectiveness of clonazepam, 47-52
—(See also Genetic factors)
Fast activity and, clinical correlates, very fast beta, 237-241
—coma, 38, 167, 168
—grand mal, 155-158
—drowsiness in children, 93
—frontal arousal rhythm in children, 94
—medication effect, 93, 239, 240
—post-traumatic syndrome, 214, 216, 219
—sedation, 19
Febrile convulsions and, West's syndrome evolving into Lennox-Gastaut syndrome, 61, 67
FIRDA, and correlations, periodic EEG abnormalities, 36-38
Flat EEG and, brain death, No. 1, V
—coma after trauma, 118, 120, 121
—following delta status in newborn, 125, 128
—hydrocephalus, 28, 29
—photosensitive epilepsy, post-clinical, 50
Focal seizures and, hypertensive encephalopathy, 55
—midline spikes, 234, 235
—neonatal, 194
—PLEDs, 32
Fourteen and six per second positive spikes and, controversial patterns in children, 93, 94
—post-traumatic syndrome, 214, 217, 219
—sleep spindles, 93
—very fast beta, 239
Frontal intermittent rhythmic delta activity (FIRDA), and correlations periodic EEG abnormalities, 36-38
Frontal localization and, arousal rhythm in children, rare pattern, 94
—drowsiness slowing in normal children, 93
—electrocortiograms, spikes, 84, 87, 89, 90
—electrode placement systems, 3-15, 71, 72, 76
—FIRDA, 36-38
—grand mal discharges, 157
—hydrocephalus, humps, 23-30
—neonatal status epilepticus, spikes, 201
—tardive dyskinesia, slowing, 224
—theta coma, 118, 119
Generalized periodic slow wave complexes (GPSC), correlations of periodic EEG activity, 34, 35, 38
Genetic factors and, familial photosensitive epilepsy, 47
—14 and 6 positive spikes, 94
—grand mal discharge, 155, 157
—paroxysmal dystonic choreoathetosis with PLEDs, 151-154
Grand mal discharge, 155-158
Grand mal seizures and, familial photosensitive epilepsy, 47-51
—grand mal discharge, 155-158
—midline spikes, 233-235
—neonatal seizures, 129, 133, 138, 194, 195
—(See also Seizures)
Haloperidol, and tardive dyskinesia, 224, 227
Headaches and, 14 and 6 positive spikes, 94
—hypertensive encephalopathy, 53
—post-traumatic syndrome, 215, 218, 219
—rhythmical temporal theta, 145, 148
—spells with ambulatory EEG, 164
—very fast beta, 238, 239
Head injury, See Trauma
Hearing loss, differentiation between brainstem lesions and sensori-neural, with ABER, 159-163
Hemiplegia, and monopolar vs. bipolar derivations, 71, 73
Hemispherectomy, and electrocorticograms, 84
Hemispheric synchronization, and schizophrenia with VEP, 182
Hemodialysis, and pattern reversal EP, 97-101
Heredity, See Genetic factors
Herpes simplex encephalitis, and periodic EEG patterns, 32, 35, 94

Humps, sleep, and, asynchrony with hydrocephalus, 23-30
—electrode derivations, 9, 18
—periodic activity, 38
—post-traumatic syndrome, 214, 216
Hydrocephalus and, FIRDA, 37
—midline spikes, 234
—neonatal seizures, 137
—newborns, neurophysiological evaluation, 22-31
—sleep spindles in mentally retarded children, 40
—West's syndrome evolving into Lennox-Gastaut syndrome, 67
Hypertensive encephalopathy, EEG and anatomo-clinical evidences of posterior cerebral damage, 53-60
Hyperventilation and, dizziness with BAEP, 111, 112
—familial photosensitive epilepsy, 47-49
—normal slow waves in children, 92
—post-traumatic syndrome, 214, 215, 217
—tardive dyskinesia, 229
—spike and wave activity, 19, 47-49
Hypnagogic hypersynchrony, and normal drowsy patterns in children, 93
Hypocalcemia, and delta status in newborn, 130, 134, 137
Hypoxia and, alpha coma, 167-169
—delta status in newborn, 130
—neonatal seizures, 130, 133-138, 193-195, 201
—periodic EEG activity, 35, 36
—suppression bursts, 36
—theta coma, 117, 119, 120
—West's syndrome evolving into Lennox-Gastaut syndrome, 61, 67
Hypsarhythmia and, Lennox-Gastaut syndrome, 61-68
—pyretotherapy as treatment, 140-144
Infantile spasms and, pyretotherapy as treatment, 140-144
—West's syndrome evolving into Lennox-Gastaut syndrome, 61-68
Infants and, management for EEG, 202-207
—(See also Neonates)
Infarction, cerebral, and, dizziness with evoked potentials, 114
—FIRDA, 37
—hypertensive encephalopathy with parieto-occipital involvement, 53-59
—PLEDs, 32, 124
—(See also Vascular)
Infections and, grand mal discharge, 155
—neonatal seizures, 133, 137
—periodic EEG patterns, 32, 35, 38
—(See also Encephalitis, Meningitis)
International EEG instrument standards, meeting of International Organization of Legal Metrology (OIML), No. 3, VI
International 10-20 System, and APEEGE system of derivation, 1-21
Ischemic encephalopathy and, brain death, No. 1, V
—dizziness, 112
—neonatal status epilepticus, 193-195
Isoelectric EEG and, brain death, No. 1 V
—coma after trauma, 118, 120, 121
—following delta status in newborn, 125, 128
—hydrocephalus, 28, 29
—photosensitive epilepsy, post-clinical, 50
Jakob-Creutzfeldt encephalopathy, and viral transmission from depth leads in electrocorticography, 83
K-complexes and, normal periodic activity, 38
—reference electrodes, 9
Labyrinthitis, and dizziness with BAEP, 111, 113
Lambda waves and, normal children, 93
—post-traumatic epilepsy, 214, 219
Lennox-Gastaut syndrome and, grand mal discharge, 157
—West syndrome evolution, 61-68
Librium, and alcoholics with evoked potentials, 103
Lithium therapy, and tardive dyskinesia, 222-225
Malignant Rolandic epilepsy, and electrocorticograms, 90
Management, infants and children for EEG, 202-207
Mania, and tardive dyskinesia, 222-225
Mellaril, and 14 and 6 positive spikes, 94
Ménière's disease, and dizziness, with BAER, 111
Meningitis and, neonatal status epilepticus, 193, 195
—PLEDs, 124
—West syndrome, 61, 67
Mental retardation and, cyclic variation of sleep spindles in children, 40-46
—delta status in newborn, 126, 129
—grand mal discharge, 155, 157, 158
—hydrocephalus, 28, 30
—midline spikes, 234
—neonatal seizures, 138
—very fast beta, 238, 240, 241
—West syndrome, 61, 66, 67, 140-143
Meperidine and, management of infants and children for EEG, 203, 204
—post-traumatic syndrome, 216
Meralgia paresthetica, and evoked potentials, No. 1, VII
Metabolic disorder and, FIRDA, 37
—grand mal discharges, 155
—neonatal seizures, 134, 137
—periodic abnormalities, 35, 38
—triphasic complexes, 38
Metastatic neoplasm, and PLEDs, 32
Microcephaly and, neonatal seizures, 138
—West's syndrome evolving into Lennox-

Gastaut syndrome, 66
Midline spike discharges, clinical and EEG correlates, 232-236
Midtemporal localization and, electrode placement, 2-9
—small sharp spikes, 212
—(See also Temporal)
Migraine, and post-traumatic syndrome, 218, 219
—(See also Headache)
Minimal temporal slow activity, and bursts of rhythmical temporal theta, 145-150
Mitten patterns and, post-traumatic syndrome, 214, 217
—tardive dyskinesia, 224, 226
Mononucleosis, and periodic EEG activity, 35
Monopolar derivation and, APEEGE system, 1-21
—Neo-EEG system, 71-82
Morbidity factor, See Death
Multiple sclerosis, and evoked potentials, 97, 99
Mu rhythm and, bursts of rhythmical temporal theta, 149
—electrocorticograms, 87, 88, 90
—normal waves in children, 92
—post-traumatic syndrome, 214, 215, 219
Myoclonic seizures and, familial photosensitive epilepsy, 48, 49, 51
—midline spikes, 234
—West's syndrome, 61, 66, 67, 140, 142, 143
Nagler, Dr. Benedict, memoriam, No. 2. V
Nasopharyngeal electrodes, and APEEGE system, 5
Neo-electroencephalography (N.E.E.G.), basis and use of a true monopolar derivation, 71-82
Neonates and, cerebral function monitor studies, 185-192
—congenital hydrocephalus, neurophysiological evaluation, 22-31
—management for EEG, 202-207
—seizures, a reappraisal, 133-139
—status epilepticus, clinical aspects, 193-196
—status epilepticus, EEG aspects, 197-201
—subclinical delta status, 125-131
Neoplasm and, BAER, 111-113
—electrocorticograms, 89
—FIRDA, 36
—PLEDs, 32
Neuro-Behcet syndrome, and periodic lateralized EEG abnormality, 122-124
Neuroleptic medication, and tardive dyskinesia, 222-225, 226-231
—(See also Drugs)
Neurovegetative symptoms and, 14 and 6 positive spikes, 94
—six per second spike and wave, 95
—small sharp spikes, 210
Newborn, See Neonates
Nightmares, and post traumatic syndrome, 219
Nitrazepam, and treatment of West's syndrome, 140, 141, 143
Normal EEG activity and, alpha, 38
—alpha coma, preceding, 167, 170
—APEEGE system, 2, 3, 10-15, 19
—congenital hydrocephalus, 22, 24, 29, 30
—familial photosensitive epilepsy, 49
—K-complexes, 38
—midline spikes, 234
—neonatal seizures, 134, 200
—paroxysmal dystonic choreoathetosis, 151, 153
—patterns in children, 92-96
—post-traumatic syndrome, 218, 219
—sleep patterns, 9, 18, 38, 93
—small sharp spikes, 209
—tardive dyskinesia, 223, 224, 229
—uremia, 97
Numbness, and, bursts of rhythmic temporal theta, 148
—spells with ambulatory EEG, 164
Occipital localization and, alpha in Neo-EEG derivation, 71, 76
—APEEGE system, 3, 9-15
—electrocorticograms, spikes, 89
—14 and 6 with slow waves, 93
—hypertensive encephalopathy, spikes, 54, 56, 57
—lambda waves in children, 93
—midline spikes with occipital spikes, 234
—post-traumatic syndrome with positive sharp transients, 214, 216, 220
—reference electrode, 9
—slow normal activity in children, 92
PAFA, periodic anterior fast activity, and grave prognosis, 38
Pain and, post-traumatic syndrome, 215, 218
—spells with ambulatory EEG, 164
—(See also Headache)
Paresthesia and, bursts of rhythmic temporal theta, 148
—spells with ambulatory EEG, 164
Parietal localization and, electrode placement, 3, 71, 72, 76
—lobectomy with electrocorticograms, 84
—hypertensive encephalopathy, spikes, 54, 56
—midline spikes, 232-236
—normal children, slow waves, 92
Paroxysmal dystonic choreoathetosis, and photic induced-driven PLEDs, 151-154
Partial seizures and, small sharp spikes, 209-211
—very fast beta, 238
Pattern reversal visual evoked potentials and, effects of age and alcohol abuse, 102-109
—psychiatric patients, 178-183
—renal hemodialysis, 97-101
Pediatrics, and 24 hour ambulatory EEG monitoring, 164-166

—(See also Children, Infants, Neonates)
Perinatal causes and, grand mal discharges, 155, 158
—midline spikes, 234
—neonatal seizures, 125, 133-139
Periodic EEG activity, 32-39
—lateralized EEG abnormality in Neuro-Behcet syndrome 122-124
—paroxysmal dystonic choreoathetosis, 151-154
Periodic lateralized epileptiform discharges (PLEDs), and Neuro-Behcet syndrome, 122-124
—paroxysmal dystonic choreoathetosis, 151-154
—periodic EEG activity, correlations, 32, 33, 35, 38
Petit mal, an APEEGE system of electrode placement, 1, 12, 19
—See also Absences and three per second spike and wave)
Phenobarbital and, alpha coma, 167, 168
—beta, very fast, 239, 240
—delta status in newborn, 125
—familial photosensitive epilepsy, 47-49
—grand mal discharge, 158
—hypertensive encephalopathy with seizures, 53
—neonatal seizures, 125, 134, 138, 198, 201
—sedation, 19
—West's syndrome, 141, 143
Phenytoin and, infusion in seizure patients, EEG spectra, 173-177
—neonatal status epilepticus, 198, 201
—very fast beta, 239, 240
—(See also Dilantin)
Photic stimulation and, familial photosensitive epilepsy, with clonazepam, 47-52
—midline spikes, 234
—PLEDs in paroxysmal dystonic choreoathetosis, 151-154
—post-traumatic syndrome, 214, 215, 217-219
—tardive dyskinesia, 229
PLEDs and, paroxysmal dystonic choreoathetosis, photic induced, 151-154
—periodic EEG activity, correlations, 32, 33, 35, 38
—periodic lateralized epileptiform discharges and Neuro-Behcet syndrome, 122-124
Porencephaly, and grand mal discharge, 155
Positive spikes, and controversial patterns in children, 93
—(See also Fourteen and six)
Pregnancy complications and, neonatal seizures, 125, 133-139
—(See also Perinatal)
Prematurity and, cerebral function monitor in neonates, 185-192
—neonatal seizures, 134, 137, 138, 193-195
Primidone, and familial photosensitive epilepsy, 47
Promethazine hydrochloride, and management of infants and children for EEG, 203
Pseudoseizures, and 24 hour ambulatory EEG in pediatrics, 164-166
Psychiatric disorders and, dizziness with BAEP, 111
—14 and 6 positive spikes, 94
—pattern reversal evoked potentials, 178-183
—6 per second spike and wave, 95
—very fast beta, 238, 240, 241
—tardive dyskinesia, 222-225, 226-231
Psychomotor variant and, post-traumatic syndrome, 214, 217
—very fast beta, 239
Pyretotherapy, treatment in West's syndrome, 140-144
Race factor, and bursts of rhythmical temporal theta, 147, 150
Recording techniques and, APEEGE system, 1-21
—Neo-EEG system, 71-82
REM sleep, and spindles in mentally retarded children, 40, 41, 44
Renal hemodialysis, and pattern reversal evoked potentials, 97-101
Retardation, psychomotor, and, neonatal seizures, 138
—West's syndrome, 140-143
—(See also Mental retardation)
Rhythmic midtemporal discharge, and very fast beta, 239
—post-traumatic syndrome, 214, 217
Rolandic localization and, electrocorticograms, 84, 87, 90
—epilepsy, spikes, 87, 90
Schizophrenia and, pattern reversal evoked potentials, 178-183
—tardive dyskinesia, 222-225, 226-231
Secobarbital, and management of infants and children for EEG, 203-205
Sedation, and management of infants and children for EEG, 202-207
Seizures and, alpha coma, 167
—bursts of rhythmic temporal theta, 148
—delta status in newborn, 125-131
—electrocorticography, 83-91
—electrode placement systems, 1, 5, 12, 72
—familial photosensitive epilepsy and clonazepam treatment, 47-52
—grand mal discharge, 155-158
—hypertensive encephalopathy, 53-59
—Lennox-Gastaut syndrome, 61-68
—midline spikes, 233-235
—neonatal seizures, 125-131, 133-139, 193-201
—Neuro-Behcet syndrome, 122, 123
—paroxysmal dystonic choreoathetosis, 151-153
—phenytoin infusion, EEG spectra, 173-177

—PLEDs, 32, 35, 151-153
—post-traumatic syndrome, 217
—pyretotherapy treatment in West's syndrome, 140-141
—small sharp spikes, 208-213, 217
—24 hour ambulatory EEG in pediatrics, 164-166
—very fast activity, 238
—West's syndrome, 61-68, 140-144
—(See also Absences, Epilepsia partialis continua, Febrile convulsions, Focal, Grand mal, Infantile spasms, Myoclonic, Partial, Petit mal and Pseudo seizures, as well as Status epilepticus)
Sex factor and, bursts of rhythmic temporal theta, 147, 150
—normal posterior slow waves in children, 92
—6 per second spike and wave, 95
—tardive dyskinesia, 226-228, 230
Sharp waves and, bursts of rhythmic temporal theta, 147, 149
—delta status in newborn, 125, 129
—familial photosensitive epilepsy, 48-50
—hydrocephalus, 28
—hypertensive encephalopathy, 56
—neuro-Behcet syndrome, 123
—PLEDs, 32, 33
—post-traumatic syndrome, 217, 220
—SSPE, 94
—tardive dyskinesia, 229
—(See also Spikes)
Six per second spike and wave and, children, 94, 95
—hyperventilation, 19
—post-traumatic syndrome, 214, 217-220
—very fast beta, 239
Sleep and, cerebral function monitor studies in neonates, 185-192
—congenital hydrocephalus, 22-30
—cyclic variation of integrated spindle components in mentally retarded children, 40-46
—electrode placement, 5, 9, 17-19
—grand mal discharge, 157
—management of infants and children, 202
—midline spikes, 232-235
—normal activity, 38, 93
—post-traumatic syndrome, 214, 216, 217, 219
—SSPE, 94
—subclinical delta status in newborn, 125
—theta coma, 120
Slow activity and, bursts of rhythmical temporal theta, 145-150
—coma, 36, 38, 116-121
—congenital hydrocephalus, 24, 27-30
—electrocorticograms, 90
—FIRDA, 36-38
—grand mal discharge, 157
—hypertensive encephalopathy, 54, 55
—midline spikes, 234
—neonatal seizures, 125-131, 134-139
—Neuro-Behcet syndrome, 123
—normal waves, 92
—periodic EEG activity, 32-39
—phenytoin infusion in seizure patients, 173
—photic stimulation, 153
—photosensitive epilepsy, 48, 49
—post-traumatic syndrome, 214, 216-219
—sleep, 9
—small sharp spikes, 210
—SSE vs. SSPE, 35, 38, 94
—tardive dyskinesia, 223, 224, 228-230
—uremia, 97
—very fast beta, 239, 240
—West's syndrome, 142
Small sharp spikes, and, further data on a controversial pattern, 208-213
—post-traumatic syndrome, 217
Somatosensory evoked potentials (SER), and brain death, No. 1, V
—meralgia paresthetica, No.1, VII
—Neuro-Behcet syndrome, 123
—(See also Evoked potentials)
Spells, and 24 hour ambulatory EEG monitoring in pediatrics, 164-166
Spike and wave activity and, children, 94, 95
—electrode systems, 19, 72, 74, 76
—hyperventilation, 19
—hypnagogic hypersynchrony, 93
—Lennox-Gastaut syndrome, 61, 63, 65-67
—midline spikes, 234
—neonatal status epilepticus, 197, 198
—photosensitive epilepsy, 47-51
—post-traumatic syndrome, 217-220
—very fast activity, 239
—West's syndrome, 142
—(See also Six per second, Three per second and Two per second spike and wave)
Spikes and, controversial patterns in children, 93, 94
—electrocorticograms, 84-90
—electrode placement systems, 2-9, 16, 72
—grand mal discharge, 155-158
—hydrocephalus, 28
—hypertensive encephalopathy, 54, 56, 57
—midline, clinical and EEG correlates, 232-236
—mu waves, 92
—neonatal seizures, 134-139, 197-201
—Neuro-Behcet syndrome, 122-124
—paroxysmal dystonic choreoathetosis, 151-154
—phenytoin infusion, 173, 174
—PLEDs, 32, 33, 35, 38, 122-124, 151-154
—post-traumatic syndrome, 214, 216, 217, 219
—small sharp spikes, 208-213
—spindles, 93
—tardive dyskinesia, 223, 224, 229

—very fast beta, 239
—West's syndrome 140-144
—(See also Anterior temporal, Central, Frontal, Midline, Midtemporal, Parietal, Rolandic, and Temporal localizations; 14 and 6, Grand mal discharge, Hypsarhythmia, PLEDs, Psychomotor variant, as well as Bascule pattern and Spike and wave activity)
Spindles, sleep, and, cyclic variation of integrated spindle components during nocturnal sleep in mentally retarded children, 40-46
—normal infantile, 93
—periodic activity, 38
—post-traumatic syndrome, 214, 216
—reference electrodes, 9. 18
Staring spells, and familial photosensitive epilepsy, 51
—(See also Eye signs)
Status epilepticus and, grand mal discharge, 155
—hypertensive encephalopathy, 53, 54, 57
—neonatal, clinical aspects, 193-196
—neonatal, EEG aspects, 197-201
—Neuro-Behcet syndrome, 122, 123
—subclinical delta status in newborn, an unfavorable prognostic sign, 125-131
Subacute sclerosing panencephalitis (SSPE), and periodic patterns, 35, 38, 94
Subdural hematoma and, PLEDs, 32
—subclinical delta status in newborn, 126
Suppression and, neonatal status epilepticus, 199, 201
—West's syndrome with pyretotherapy treatment, 141-143
(See also Asymmetry and Flat EEG)
Suppression bursts, and periodic EEG activity correlations, 35, 36, 38
Surgery, and electrocorticography during seizure surgery, 83-91
Syncope, and post-traumatic syndrome, 215, 216, 218
Tardive dyskinesia, and EEG, 222-225, 226-231
Technical notes, for EEG, APEEGE system, 1-21
—Neo-EEG system, 71-82
—standards for EEG instruments, No. 3, VI
Temporal localization and, bursts of rhythmic temporal theta, 145-150
—electrocorticograms, spikes, 84-89
—electrode placement systems, 2-9, 76
—14 and 6 localization, 93
—hypertensive encephalopathy, spikes, 57
—normal slow waves in children, 92
—paroxysmal dystonic choreoathetosis, 153
—phenytoin infusion and seizure patients, 173, 174
—post-traumatic syndrome, alpha and slow, 214-216, 219
—small sharp spikes, 209, 212
—(See also Anterior temporal and Midtemporal)
Tetanus, and neonatal status epilepticus, 193, 195
Theta activity and, bursts of rhythmical temporal theta, 145-150
—coma, periodic activity, 36, 38
—coma, variant of alpha pattern coma, 116-121
—congenital hydrocephalus, 24, 28, 30
—hypertensive encephalopathy, 54
—Neuro-Behcet syndrome, 123
—phenytoin infusion in seizure patients, 173
—photosensitive epilepsy, 49
—post-traumatic syndrome, 214-219
—tardive dyskinesia, 223, 228-230
—(See also Slow activity)
Thiopentone and, neonatal status, 198
Three per second spike and wave and, electrode placement in APEEGE system, 19
—hypnagogic hypersynchrony, 93
Tonic-clonic seizures and, familial photosensitive epilepsy, 47-51
—grand mal discharge, 157
—midline spikes, 233-235
—neonatal seizures, 129, 133, 138, 194, 195
—(See also Grand mal seizures and Seizures)
Toxicity, See Drug intoxication
Tracé alternant pattern and, cerebral function monitor in neonates, 189
—congenital hydrocephalus, 22, 24-28, 30
Trauma, head, and, bursts of rhythmic temporal theta, 148, 150
—FIRDA, 36, 38
—14 and 6 positive spikes, 94
—grand mal discharge, 155
—midline spikes, 234
—PLEDs, 32
—post-traumatic syndrome, EEG features, 214-221
—theta coma, 116, 118, 120, 121
Tremors and, bursts of rhythmic temporal theta, 148
Triphasic waves and, generalized periodic EEG activity correlations, 35, 37, 38
Tumor, brain, and BAER, 111, 113
—electrocorticograms, 89
—FIRDA, 36
—PLEDs, 32
Twenty-four hour ambulatory EEG and, monitoring in pediatrics, 164-166
—post-traumatic syndrome, 214-221
Two per second spike and wave, and grand mal discharge, 155
—Lennox-Gastaut syndrome, 61, 63, 65-67
Typhoid and paratyphoid vaccine, and pyretotherapy treatment in West's syndrome, 141-143
Vascular disease and, alpha coma, 167, 169
—brain death, No. 1 V

—bursts of rhythmic temporal theta, 148-150
—delta status in newborn, 125, 126
—evoked potentials and dizziness, 112, 114
—FIRDA, 36, 37
—hypertensive encephalopathy and anatamoclinical evidence of posterior cerebral damage, 53-60
—neonatal seizures, 125, 126, 134, 137, 138, 193-195
—PLEDs, 32, 124
—suppression bursts, 35
—theta pattern coma, 116
Vertex localization and, periodic activity, 38
—post-traumatic syndrome, 214, 216
—reference, 9
—(See also Humps)
Visual evoked potentials (VEP), and congenital hydrocephalus, 25, 28-30
—Neuro-Behcet syndrome, 123
—pattern reversal in alcohol abuse, 102-109
—pattern reversal in psychiatric patients, 178-183
—pattern reversal in renal hemodialysis, 97-101
—(See also Evoked potentials)
West's syndrome and, evolving into Lennox-Gastaut syndrome, 61-68
—pyretotherapy as treatment, 140-144
Whiplash injuries, and EEG features, 214-221
Wicket pattern and, bursts of rhythmical temporal theta, 149
—(See also Mu rhythm)